

80X240CM 15MM



Everstone

2024- 25

POLISHED



ALPS STATUARIO



80X240cm 15mm
Random- Polished





CALACUTTA BORGHINI



80X240cm 15mm
Random - Polished





COSMIC BLACK



80X240cm 15mm
Random- High Gloss





COSMIC GRIGIO



80X240cm 15mm
Random- Polished





COSMIC TROPICANA



80X240cm 15mm
Random - Polished






COSMIC WHITE



80X240cm 15mm
Random - Polished





CRYSTAL NANO BLACK



80X240cm 15mm
Random- High Gloss





CRYSTAL NANO WHITE



80X240cm 15mm
Random- Polished






EMPERADOR GOLD



80X240cm 15mm
Random - High Gloss






VOLGA BLUE



80X240cm 15mm
Random- High Gloss



MATT



ANGEL BLACK



80X240cm 15mm
Random- Carving Matt





ANGEL WHITE



80X240cm 15mm
Random- Carving Matt





ATOM WHITE



80X240cm 15mm
Random - Matt





ATOM GRIGIO



80X240cm 15mm

Random - Matt






BAMBOO BLACK



80X240cm 15mm
Random- Carving Matt





BAMBOO WHITE



80X240cm 15mm
Random- Carving Matt





COSMIC WHITE



80X240cm 15mm
Random - Matt





COSMIC TROPICANA



80X240cm 15mm
Random - Matt





COSMIC GRIGIO



80X240cm 15mm
Random - Matt





CRYSTAL MATT BLACK



80X240cm 15mm
Random - Matt





CRYSTAL MATT WHITE



80X240cm 15mm
Random - Matt






LASA GREY



80X240cm 15mm
Random- Faux Matt






MEKMAR BEIGE



80X240cm 15mm
Random- Faux Matt





PEBBLE BLACK



80X240cm 15mm
Random- Carving Matt





PEBBLE GREY



80X240cm 15mm
Random- Carving Matt





PEBBLE WHITE



80X240cm 15mm
Random- Carving Matt





SPARKLE BLACK



80X240cm 15mm
Random- Carving Matt





SPARKLE WHITE



80X240cm 15mm
Random- Carving Matt





TRAVERTINE CARVING



80X240cm 15mm
Random- Carving Matt



TECHNICAL SPECIFICATIONS

CHARACTERISTIC	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	VALUE	TEST METHOD
REGULATORY PROPERTIES			
Deviation in Length & Width	0.5 %	0.2 %	ISO- 10545-2
Deviation in Thickness	0.5 %	0.5 %	ISO- 10545-2
Straightness in side	0.5 %	0.2 %	ISO- 10545-2
Rectangularity	0.5 %	0.2 %	ISO- 10545-2
Surface flatness	0.5 %	0.2 %	ISO- 10545-2
Color difference	Unaltered	No change	ISO- 10545-16
Glossiness	As per mfg.	Min 90 %	GLOSSOMETER
STRUCTURAL PROPERTIES			
Water absorption	< 0.05%	< 0.05 %	ISO- 10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES			
Modulus of rupture	Min. 35 N/mm2	Min. 42 N/mm2	ISO- 10545-4
Breaking strength	Min. 1300 N	Min. 2800 N	ISO- 10545-4
Impact resistance	As per mfg.	Min. 0.75	ISO- 10545-5
SURFACE MECHANICAL PROPERTIES			
Surface abrasion resistance	As per mfg.	Min. Class 3	ISO- 10545-7
MOH's hardness	As per mfg.	Min. Class 4	EN 101
THERMO HYGROMETRIC PROPERTIES			
Frost resistance	No damage	No damage	ISO- 10545-12
Thermal shock resistance	No damage	No damage	ISO- 10545-9
Moisture expansion	Nil	Nil	ISO- 10545-10
Thermal expansion(COE)	Max 9.0 x 10-6	Max 6.5 x 10-6	ISO- 10545-8
Crazing resistance	As per mfg.	Min. 10 cycle	ISO- 10545-11
CHEMICAL PROPERTIES			
Chemical resistance	No damage	No damage	ISO- 10545-13
Stain resistance	Resistant	Resistant	ISO- 10545-14
SAFETY PROPERTIES			
Slip resistance	As per mfg.	> 0.40	ISO- 10545-17
Fire resistance	As per mfg.	Fireproof	N. A
Lead & Cadmium given off by glazed tiles	As per mfg.	Does not yield Pb & Cd	ISO- 10545-15
SIZE	THICKNESS	TILE / BOX	COVERAGE AREA / BOX
80x240cm	15mm	1 Pc	1.92 Sq. M